

## PRATLEY® PRATLOK H-TEMP

- Pratley "Grade H" is a high strength thread locker
- High viscosity
- Orange colour
- U.V. Fluorescent
- Used to lock threaded components at elevated temperatures
- Disassembly is difficult without heating above 300°C
- Certain surfaces may require Pratlock Activator to speed up the cure

| Code    | Size |
|---------|------|
| PRT0012 | 50g  |



## PRATLEY® NUTLOK

- Superior quality nut retainer in a small bottle
- For thread sizes from 6 - 10mm and 10 - 20mm

| Code    | Size | Grade |
|---------|------|-------|
| PRT0027 | 10g  | 6-10  |
| PRT0029 | 50g  | 6-10  |
| PRT0033 | 10g  | 10-20 |



## PRATLEY® NUTLOK GRADE BRG

- Locks, retains and seals bearings



| Code    | Size |
|---------|------|
| PRT0034 | 10g  |

## PRATLEY® STUDLOK

- Pratley "Stud lock Grade 20" thread locker
- High strength, high viscosity
- Red colour
- U.V. Fluorescent
- Use typically on threads bigger than M20
- Ideal for flanged assemblies
- Is gap filling
- Disassembly is difficult with out heat



| Code    | Size | Grade |
|---------|------|-------|
| PRT0170 | 50g  | 20+   |

## PRATLEY® STUDLOK


- Pratley "Stud lock Grade 10-20" thread locker
- High strength, high viscosity
- Red colour
- U.V. Fluorescent
- Use typically on threads M10-M20
- Use for stud bolts and threaded pipe fittings



| Code    | Size | Grade |
|---------|------|-------|
| PRT0275 | 50g  | 10-20 |

## PERMA products MOUNTING STRIPS/TABS

- For mounting mirrors and other wall accessories to almost any wall surface
- Not affected by humidity
- Easy to apply to painted surfaces, wood, metal, plastic, glass, brick and plaster



| Code    | Size            | Qty      |
|---------|-----------------|----------|
| PER2018 | 80 x 24 x 3mm   | 3 Strips |
| PER2020 | 80 x 20 x 1,2mm | 4 Tabs   |
| PER2021 | 20 x 10 x 1,2mm | 32 Tabs  |

## PERMA products DOUBLE SIDED MOUNTING TAPE

- For mounting mirrors and other wall accessories to almost any wall surface
- Not affected by humidity
- Easy to apply to painted surfaces, wood, metal, plastic, glass, brick and plaster



| Code    | Size            |
|---------|-----------------|
| PER2016 | 2m x 12 x 1,2mm |
| PER2019 | 1m x 20 x 3mm   |
| PER2022 | 1m x 24 x 1,2mm |

## PERMA products BULK BUY DOUBLE SIDED FOAM TAPE

- For mounting mirrors, pictures, numbers, nameplates and signs on a variety of surfaces



| Code     | Size           |
|----------|----------------|
| PER23010 | 10m x 24 x 3mm |
| PER23025 | 25m x 24 x 3mm |

## PERMA products DOUBLE SIDED SUPER STICK TAPE

- Easy to apply to almost any surface
- Industrial applications include:
  - Fixing body and roof panels in the bus and truck industry
  - Eliminates the use of rivets, screws and welding
  - The preferred mounting tape in the signage industry
- No more drilling



| Code    | Size      |
|---------|-----------|
| PER2023 | 1m x 18mm |


**NEW INDUSTRIAL STRENGTH!**



## MOUNTING AND HANGING TAPE

- A double sided adhesive tape
- Good shear strength (sliding downward strength)
- For light posters and pictures
- UV stabilised for outdoor use

| Code    | Size      |
|---------|-----------|
| EAP1220 | 1m x 18mm |



## DOUBLE SIDED TAPE

Abrasives Technology

- Double sided tape

| Code    | Size           |
|---------|----------------|
| KLN0630 | 30m x 24 x 3mm |



## AUTO TRIM REPAIR TAPE

- Used for mounting:
- Beading
- Badges
- Reflectors
- Rear view mirrors
- Alarm sensors
- UV stabilised for outdoor use

| Code    | Size              |
|---------|-------------------|
| EAP1040 | 12mm x 3m X 0.8mm |



## ADHESIVE FASTENER - 327

- Ideal for fastening constantly used items in a strategic place
- Two part male and female fastener with adhesive backing


| Code    | Size   |
|---------|--------|
| PER2327 | 2 pack |



## GLOSS DUCT TAPE

- Glossy finish
- Universal tape for:
  - Binding and repairing
  - Reinforcing and ducting
  - Waterproofing and insulation


| Code    | Size       | Colour     |
|---------|------------|------------|
| EAP0105 | 48mm x 25m | Blue       |
| EAP0110 | 48mm x 25m | Green      |
| EAP0120 | 48mm x 25m | Olive Drab |
| EAP0130 | 48mm x 25m | Silver     |
| EAP0140 | 48mm x 25m | Yellow     |
| EAP0160 | 48mm x 25m | Red        |
| EAP0165 | 48mm x 25m | White      |
| EAP0003 | 48mm x 25m | Black      |



## MATT DUCT TAPE

- Glossy finish
- Universal tape for:
  - Binding and repairing
  - Reinforcing and ducting
  - Waterproofing and insulation

| Code    | Size      | Colour |
|---------|-----------|--------|
| EAP1100 | 48mm x 5m | Black  |
| EAP1110 | 48mm x 5m | Blue   |
| EAP1120 | 48mm x 5m | Green  |
| EAP1130 | 48mm x 5m | Red    |
| EAP1140 | 48mm x 5m | Silver |
| EAP1150 | 48mm x 5m | White  |
| EAP1160 | 48mm x 5m | Yellow |



## ALUMINIUM SELLO TAPE

- Repairing of air conditioners, ducting and ventilation
- Decorative design
- Gives an aluminium look

| Code    | Size       |
|---------|------------|
| EAP2900 | 48mm x 50m |



## Bostik DIT - SIT

- DIT-SIT is a self-adhesive butyl sealing tape which is excellent for creating a watertight seal on almost any surface
- DIT-SIT seals pipes and hose-pipes, roofs, swimming pools, galvanised, buckets, baths and watering cans, tents tarpaulins, gum boots, boats and caravans, radiator pipes, sheds and kennels
- It will keep water in or out of practically anything
- It is waterproof and permanently tacky

| Code    | Size      |
|---------|-----------|
| BST0031 | 50mm x 2m |



## Sellotape ALL WEATHER TAPE

- A high quality repair tape
- See through when applied
- U.V Stabilised for long lasting weather resistance
- Easy to use and resists ageing



| Code    | Size      |
|---------|-----------|
| EAP1000 | 48mm x 5m |

## Sellotape REFLECTIVE TAPE


- Weather resistant
- Excellent adhesion and long lasting
- Illuminates when exposed to light
- Can be used as a safety tape
- Bypass dangerous objects in dark places



| Code    | Size      | Colour |
|---------|-----------|--------|
| EAP1250 | 48mm x 1m | Red    |
| EAP1260 | 48mm x 1m | Yellow |

## NITTO INSULATION TAPE


- Used in harness and electrical application plus for general purpose household tasks and for the D.I.Y market
- A high quality tape for electrical application



| Code    | Size       | Colour |
|---------|------------|--------|
| EAP2000 | 18mm x 20m | Black  |
| EAP2010 | 18mm x 20m | Blue   |
| EAP2020 | 18mm x 20m | Green  |
| EAP2050 | 18mm x 20m | Red    |
| EAP2070 | 18mm x 20m | White  |
| EAP2100 | 18mm x 20m | Yellow |

## Sellotape FLAME RETARDANT INSULATION TAPE

- PVC tape, protects, waterproofs and insulates
- Used for electrical insulation
- Fire retardant
- Insulation of wiring in motor vehicles



| Code    | Size       | Colour |
|---------|------------|--------|
| EAP1800 | 18mm x 20m | Black  |
| EAP1810 | 18mm x 20m | Blue   |
| EAP1820 | 18mm x 20m | Green  |
| EAP1830 | 18mm x 20m | Red    |
| EAP1840 | 18mm x 20m | White  |
| EAP1850 | 18mm x 20m | Yellow |

## Sellotape SELF FUSING TAPE

- Used for making watertight seals, waterproofing and joining of cables



| Code    | Size      |
|---------|-----------|
| EAP1400 | 18mm x 3m |

## Sellotape MASKING TAPE


- For masking off surfaces during brush or spray painting of all household surfaces
- Easy to handle and tear
- Can be written on with pencil or pen
- Conforms to uneven surfaces



| Code    | Size       |
|---------|------------|
| EAP0035 | 12mm x 40m |
| EAP0040 | 18mm x 40m |
| EAP0045 | 24mm x 40m |
| EAP0050 | 36mm x 40m |
| EAP0055 | 48mm x 40m |

## Sellotape HIGH TEMP. (80°) MASKING TAPE

- Used for automotive spray painting
- With stand temperatures up to 80° General purpose masking tape for indoor usage
- Adheres well



| Code    | Size       |
|---------|------------|
| EAP0410 | 18mm x 40m |
| EAP0420 | 24mm x 40m |
| EAP0430 | 36mm x 40m |
| EAP0440 | 48mm x 40m |

## Sellotape PAINTER'S BLUE MASKING TAPE

- Used for painting on glass, vinyl, wood and walls
- 14 day UV stable



| Code    | Size       |
|---------|------------|
| EAP0056 | 24mm x 40m |

**Sellotape** DOUBLE SIDED RDA TAPE

- General purpose tape for mounting and framing
- Sticking of metal name tags



| Code    | Size       |
|---------|------------|
| EAP2980 | 12mm x 33m |
| EAP2985 | 18mm x 33m |
| EAP2990 | 24mm x 33m |

**Sellotape** DOUBLE SIDED CARPET TAPE


- Aggressive double sided tape
- Sticks carpets, carpet tiles and mats and tiles
- Holds most materials together



| Code    | Size       |
|---------|------------|
| EAP3000 | 18mm x 30m |
| EAP3010 | 24mm x 30m |

**Sellotape** CARPET TAPE - DOUBLE SIDED

- Use for laying down carpet or carpet tiles, mats and rugs
- Hold most products together
- Very aggressive double sided tape



| Code    | Size      |
|---------|-----------|
| EAP1080 | 48mm x 5m |

**Sellotape** FLOOR MARKER TAPE

- Used for marking out floor areas



| Code    | Size       |
|---------|------------|
| EAP3920 | 48mm x 33m |

**Sellotape** BARRIER TAPE 75mm


- Red & white diagonal strips for sealing off areas
- Highlight the hazard or feature in question.
- Suitable for indoor or protected outdoor use



| Code    | Size |
|---------|------|
| EAP0058 | 100m |
| EAP0060 | 500m |

**PERMA** products GLASS SAFETY MARKER - 330

- Self sticking
- Adhesive is not affected by humidity
- Clearly marks sliding and fixed glass doors for safety



| Code    | Size |
|---------|------|
| PER2330 | 1m   |

**Sellotape** PACKAGING TAPE

- Buff tape is used mainly in packaging
- Suitable for carton sealing and bundling



| Code    | Size       | Colour |
|---------|------------|--------|
| EAP0070 | 48mm x 50m | Brown  |
| EAP0080 | 48mm x 50m | Clear  |

**MTS** QUALITY TOOLS TAPE DISPENSER

- Simple one hand operation
- Avoid tape wastage
- Sharp perforated blade cuts tape neatly
- Adjustable tensioner allows for accurate control
- Tough PVC construction



| Code    | Size |
|---------|------|
| UNS1700 | -    |



### VINYL PVC TAPE

- Used for bag sealing and colour coding



| Code    | Size       | Colour |
|---------|------------|--------|
| EAP2920 | 12mm x 50m | Black  |
| EAP2925 | 12mm x 50m | Blue   |
| EAP2930 | 12mm x 50m | Green  |
| EAP2935 | 12mm x 50m | Red    |
| EAP2940 | 12mm x 50m | Yellow |
| EAP2945 | 12mm x 50m | White  |



### FILAMENT TAPE

- Used for bundling and strapping



| Code    | Size       |
|---------|------------|
| EAP2960 | 24mm x 40m |
| EAP2965 | 48mm x 40m |



### PIPE THREAD TAPE

- Used mainly by plumbers and fitters for sealing pipe threads



| Code    | Size |
|---------|------|
| PTF0005 | 10mm |



### FIRE PROOF STOVE PUTTY

- A fire proof putty resistant to severe temperatures and cracking



| Code    | Size |
|---------|------|
| ELC0700 | 800g |



### PUTTY - GENERAL PURPOSE

- All purpose putty for glazing and plumbing applications



| Code    | Size | Colour  |
|---------|------|---------|
| UNS0375 | 500g | Natural |



### GASKET SEALANT

- Can be used with or without a gasket
- Use with sump and tappet cover gaskets, water pumps, exhaust connections, or any other mechanical joint
- It is not affected by petrol and oil, does not harden
- Withstands temperatures from -50° to 250°



| Code    | Size  | Colour |
|---------|-------|--------|
| CMT1600 | 280ml | Red    |



### GASKET SEALANT

- Can be used with or without a gasket
- Use with sump and tappet cover gaskets, water pumps, exhaust connections, or any other mechanical joint
- It is not affected by petrol and oil, does not harden
- Withstands temperatures from -50° to 250°



| Code    | Size | Colour |
|---------|------|--------|
| MTS0510 | 90ml | Red    |
| MTS0512 | 90ml | Grey   |
| MTS0514 | 90ml | Black  |

## Bostik GASKET MAKER

- Superior form-in-place BLACK gasket in a tube
- Replaces preformed gaskets
- Withstands temperatures from -60°C to 300°C
- Resists oil, petrol, transmission fluid, water and anti-freeze
- An ideal metal to metal adhesive which is neutral curing



| Code    | Size | Colour |
|---------|------|--------|
| BST0035 | 90ml | Black  |

## TRITON-LEO GROUP OF COMPANIES GASKET JOINTING



- Can be used with or without a gasket
- This Rolls Royce approved product is a non-silicone gasket sealer
- Use it with sump and tappet cover gaskets, on water pumps, exhaust connections or any other mechanical joints
- It is not affected by petrol and oil, and does not harden
- Withstands temperatures from -50°C to 250°C

| Code    | Size | Colour |
|---------|------|--------|
| TRG0058 | 350g | Blue   |

## TRITON-LEO GROUP OF COMPANIES GASKET JOINTING

- Can be used with or without a gasket
- This Rolls Royce approved product is a non-silicone gasket sealer
- Use it with sump and tappet cover gaskets, on water pumps, exhaust connections or any other mechanical joints
- It is not affected by petrol and oil, and does not harden
- Withstands temperatures from -50°C to 250°C



| Code    | Size | Colour |
|---------|------|--------|
| TRG0055 | 100g | Blue   |

## SPANJAARD COPPER GASKET SEALER

- Available in aerosol only
- It is a non-hardening adhesive with a high copper content to promote heat transfer
- Use in place of adhesive-type products
- Allows gaskets to be re-used



| Code    | Size  |
|---------|-------|
| SPN0245 | 400ml |

## SPANJAARD COPPER COMPOUND SPRAY

- A non-hardening adhesive gasket positioning and sealing spray containing colloidal copper
- Allows gaskets to be positioned before assembling with the copper acting as a filling agent, smoothing out the surface irregularities
- This allows the gasket to be tightened more evenly giving a leak proof seal
- The copper also acts as a heat conductor allowing heat to transfer from one surface to the other
- Allows gaskets to be re-used



| Code    | Size  |
|---------|-------|
| SPN0200 | 400ml |

## SPANJAARD COPPER COMPOUND PASTE

- A non-hardening adhesive gasket positioning and sealing paste containing colloidal copper
- Allows gaskets to be positioned before assembling with the copper acting as a filling agent, smoothing out the surface irregularities
- The copper also acts as a heat conductor allowing heat to transfer from one surface to the other and allows gaskets to be re-used
- This allows the gasket to be tightened more evenly giving a leak proof seal

| Code    | Size  |
|---------|-------|
| SPN0220 | 500g  |
| SPN0222 | 5kg   |
| SPN0240 | 100ml |



## SPANJAARD PENETRATING SPRAY

- A superior penetrating and releasing fluid with exceptional penetrating properties
- For all bolts and nuts, locks, hinges, etc
- Used in industrial and marine maintenance
- Available in flammable and non-flammable aerosols



| Code    | Size  |
|---------|-------|
| SPN0500 | 200ml |
| SPN0520 | 350ml |

## SPANJAARD SPARK SPRAY

- A water displacing, rust preventative, lubricating and penetrating oil.
- It has fantastic penetrating properties, is non-conductive and has 1001 uses
- Solves condensation and moisture problems on all types of engines.
- Can be sprayed inside and outside the distributor, coil, leads, spark plugs, generator and starter motor
- Will displace all moisture
- Will release and free tight bolts, all nuts, rusty locks, door hinges and door handles, sticky carburetors, throttle linkages, knives, blinds, curtain rail and all winding mechanisms
- Cleans and removes grease and tar
- Cleans and protects guns, fishing tackle, bicycles, typewriters, adding machines, toys, domestic appliances, swimming pool and garden equipment
- SPN0615 IS NON-FLAMMABLE



| Code    | Size  |
|---------|-------|
| SPN0590 | 150ml |
| SPN0610 | 300ml |
| SPN0615 | 500g  |